



Using
NAVTOR AVCS ENC using NAVSTICK
With
FURUNO FMD-3x00

Chart loading from NavStick (USB) requires Furuno FMD software version 1.11 or higher


NAVTOR AS

Strandgaten 18
4370 Egersund, Norway
+47 51 49 22 00
support@navtor.com


CONTENTS

1	INSTALLING ENC CHART PERMITS (WEEKLY PROCEDURE).....	3
2	INSTALL ENC CHARTS (WEEKLY PROCEDURE)	4
3	INSTALL AIO (WEEKLY PROCEDURE).....	6


1 INSTALLING ENC CHART PERMITS (WEEKLY PROCEDURE)




1. Click on [**CHARTS**] from the top menu bar
2. Click on the [**License**] button on the Instant Access Bar
3. Select the [**ENC**] tab and then click on the [**Import Licenses**] button



4. Browse to the appropriate folder on the NavStick (e.g. **/MEDIA/USB Flash/INFO/NAVTOR/PERMITS/ECDIS 1**) for the system you are installing to, select the **PERMIT.TXT** file in this folder and click [**Open**].




2 INSTALL ENC CHARTS (WEEKLY PROCEDURE)




1. Click on [**CHARTS**] from the top menu bar
2. Click on the [**AUTO Import**] button on the Instant Access Bar


A prompt informs you that it may take a while to do the loading and you must click [**OK**] to continue




3. Browse to **/MEDIA/USB Flash/**
Select the **ENC_ROOT** folder and then click [**OK**].



4. After the contents of the NavStick has been scanned, the results will be displayed in a new window. Press **[OK]** to continue.




5. A status bar appears showing the percentage of completion. Click the **[Show detail]/[Hide detail]** button to show more/hide detailed information during loading.



6. When the loading is completed, information about the charts loaded appears in the **[Message]** window. Click the **[Finish]** button to complete the loading process.


3 INSTALL AIO (WEEKLY PROCEDURE)




1. Click on [**CHARTS**] from the top menu bar
2. Click on the [**AUTO Import**] button on the Instant Access Bar

A prompt informs you that it may take a while to do the loading and you must click [**OK**] to continue

3. Browse to **/MEDIA/USB Flash/INFO/AIO/**
Select the **ENC_ROOT** folder and then click [**OK**].



4. After the contents of the NavBox have been scanned, the results will be displayed in a new window. Press [**OK**] to start loading.



5. When the loading is completed, information about the charts loaded appears in the [**Message**] window. Click the [**Finish**] button to complete the loading process.